## **Author index**

Alkner, B. see Gallagher, P.

Amin, A.S., Verkerk, A.O., Bhuiyan, Z.A., Wilde, A.A.M. & Tan, H.L. Novel Brugada syndrome-causing mutation in ion-conducting pore of cardiac Na+ channel does not affect ion selectivity properties, 291

Andersen, J.L. see Sandgaard, N.C.F.

Ando, Y. see Yoshimura, A. Arasan, S. see Subramani, S.

Arrizurieta, E. see De Luca Sarobe, V.

Ashton, N. & Szokodi, T. Editor's Choice, 3

Astier, C. see Vermaelen, M.

Aukland, K. Arnold Heller and the lymph pump, 171

Baan, J. see Bal, M.P.

Badawi, J.K., Uecelehan, H., Hatzinger, M., Michel, M.S., Haferkamp, A. & Bross, S. Relaxant effects of β-adrenergic agonists on porcine and human detrusor muscle, 151

Bal, M.P., de Vries, W.B., van der Leij, F.R., van Oosterhout, M.F.M., Baan, J., van der Wall, E.E., van Bel, F. & Steendijk, P. Left ventricular pressure-volume relationships during normal growth and development in the adult rat - studies in 8- and 50-week-old male Wistar rats, 181

Balakrishnan, S. see Subramani, S.

Barontini, M. see De Luca Sarobe, V.

van Bel, F. see Bal, M.P.

Bentley, L.F. & Lehman, S.L. Doublets and low-frequency fatigue in potentiated human muscle, 51

Benyamin, Y. see Vermaelen, M.

Bhuiyan, Z.A. see Amin, A.S. Bie, P., Henriksson, J., Skøtt, O., Hultborn, H. & van der Vusse, G. Editorial, 1

Bie, P. see Sandgaard, N.C.F. Bindslev, N. see Larsen, R.

Blomstrand, E., Møller, K., Secher, N.H. & Nybo, L. Effect of carbohydrate ingestion on brain exchange of amino acids during sustained exercise in human subjects, 203

Borge, B.A. see Iversen, V.V. Brack, A.S. see Bruusgaard, J.C. Bross, S. see Badawi, J.K.

Bruusgaard, J.C., Brack, A.S., Hughes, S.M. & Gundersen, K. Muscle hypertrophy induced by the Ski protein: cyto-architecture and ultrastructure, 141

Carranza, A. see De Luca Sarobe, V. Chlubek, D. see Safranow, K. Chopard, A. see Vermaelen, M. Christoffel, S. see Reinsberg, J. Code, L.M. see Rush, J.W.E. Creer, A. see Gallagher, P.

De Luca Sarobe, V., Nowicki, S., Carranza, A., Levin, G., Barontini, M., Arrizurieta, E. & Ibarra, F.R. Low sodium intake induces an increase in renal monoamine oxidase activity in the rat. Involvement of an angiotensin II dependent mechanism, 161

Diemunsch, P. see Zoll, J

Doolette, D.J., Upton, R.N. & Grant, C. Countercurrent compartmental models describe hind limb skeletal muscle helium kinetics at resting and low blood flows in sheep, 109 Doutreleau, S. see Zoll, J.

Dvoretsky, D.P. see Karachentseva, O.V.

Favre-Juvin, A. see Verges, S. Flore, P. see Verges, S.

Fraga, S. see Soares-da-Silva, P. Fujitsuka, N. see Yoshimura, A.

Gallagher, P., Trappe, S., Harber, M., Creer, A., Mazzetti, S., Trappe, T., Alkner, B. & Tesch, P. Effects of 84-days of bedrest and resistance training on single muscle fibre myosin heavy chain distribution in human vastus lateralis and soleus muscles, 61

Geny, B. see Zoll, J. Grant, C. see Doolette, D.J. Green, H.J. see Rush, J.W.E. Gundersen, K. see Bruusgaard, J.C.

Gustafsson, L.E. & Lundgren, O. Editor's Choice, 87

Haferkamp, A. see Badawi, J.K. Hansen, M.B. see Larsen, R. Harber, M. see Gallagher, P.

Harris, B.A. The influence of endurance and resistance exercise on muscle capillarization in the elderly: a review, 89

Hatzinger, M. see Badawi, J.K.

Henriksson, J. & Knol, M. A single bout of exercise is followed by a prolonged decrease in the interstitial glucose concentration in skeletal muscle, 313

Henriksson, J. see Bie, P.

Holstein-Rathlou, N.-H. see Sandgaard, N.C.F.

Huey, K.A., Hyatt, J.-P.K., Zhong, H. & Roy, R.R. Effects of innervation state on Hsp25 content and phosphorylation in inactive rat plantaris muscles, 219

Hughes, S.M. see Bruusgaard, J.C. Hultborn, H. see Bie, P.

Hyatt, J.-P.K. see Huev, K.A. Hyyppä, S. see Kaikkonen, M.

Ibarra, F.R. see De Luca Sarobe, V.

Iemitsu, M., Maeda, S., Miyauchi, T., Matsuda, M. & Tanaka, H. Gene expression profiling of exercise-induced cardiac hypertrophy in rats, 259

Iemitsu, M. see Maeda, S. Iversen, V.V., Nedrebø, T., Borge, B.A., Salvesen, G.S. & Reed, R.K. Platelet activating factor (PAF) increases plasma protein extravasation and induces lowering of interstitial fluid pressure  $(P_{if})$  in rat skin, 5

Jakubowska, K. see Safranow, K.

lesmin, S. see Maeda, S.

Jørgensen, F. & Kroese, A.B.A. Ion channel regulation of the dynamical instability of the resting membrane potential in saccular hair cells of the green frog (Rana esculenta), 271 Iyoti, T. see Subramani, S.

Kaikkonen, M. & Hyyppä, S. Comparison on plasma caesium kinetics in goats and horses with special emphasis on exercising horses, 335

Karachentseva, O.V., Yartsev, V.N., Dvoretsky, D.P. & Zhdanova, I.V. Melatonin-evoked potentiation of the juvenile rat tail artery neurogenic reactivity depends on degree of the change in the reactivity, 99

Knol, M. see Henriksson, J. Kroese, A.B.A. see Jørgensen, F. Kumar, A. see Reinsberg, J.

Larsen, R., Hansen, M.B. & Bindslev, N. Duodenal secretion in humans mediated by the EP4 receptor subtype, 133 Laughlin, M.H. & Vornanen, M. Editor's Choice, 257

Lehman, S.L. see Bentley, L.F. van der Leij, F.R. see Bal, M.P. Lepers, R. see Sarre, G. Levin, G. see De Luca Sarobe, V. Lévy, P. see Verges, S. Listewnik, M.J. see Safranow, K.

Lundgren, O. see Gustafsson, L.E. MacLean, D.A. see Rush, J.W.E. Maeda, S., Iemitsu, M., Jesmin, S. & Miyauchi, T. Acute exercise causes an enhancement of tissue renin-angiotensin system in the kidney in rats, 79 Maeda, S. see Iemitsu, M. Mandros, C. see Tzelepis, G.E. Marini, J.-F. see Vermaelen, M. Matsuda, M. see Iemitsu, M. Mazzetti, S. see Gallagher, P. Mazzucotelli, J.P. see Zoll, J. Mercier, J. see Vermaelen, M. Mettauer, B. see Zoll, J. Michel, M.S. see Badawi, J.K. Miyauchi, T. see Iemitsu, M. Miyauchi, T. see Maeda, S. Mogensen, M. & Sahlin, K. Mitochondrial efficiency in rat skeletal muscle: influence of respiration rate, substrate and muscle type, 229 Mohammed, A.A. see Subramani, S. Møller, K. see Blomstrand, E. Murakami, T. see Yoshimura, A.

Nedrebø, T. see Iversen, V.V. Nilsson, H. & Sheel, A.W. Editor's Choice, 169 Nowicki, S. see De Luca Sarobe, V. Nybo, L. see Blomstrand, E.

Olszewska, M. see Safranow, K. van Oosterhout, M.F.M. see Bal, M.P.

Pinho, M.J. see Soares-da-Silva, P. Piquard, F. see Zoll, J. Ponsot, E. see Zoll, J.

Rać, M.E. see Safranow, K. Reed, R.K. see Iversen, V.V. Reinsberg, J., Christoffel, S., Kumar, A. & van der Ven, H. Escherichia coli derived factors modulate human granulosa cell steroidogenesis, 303 Roussos, C. see Tzelepis, G.E. Roy, R.R. see Huey, K.A.

Rush, J.W.E., Green, H.J., MacLean, D.A. & Code, L.M. Oxidative stress and nitric oxide synthase in skeletal muscles of rats with post-infarction, compensated chronic heart failure, 211

Rzeuski, R. see Safranow, K.

Safranow, K., Rzeuski, R., Listewnik, M.J., Jakubowska, K., Rać, M.E., Olszewska, M. & Chlubek, D. Myocardial and coronary sinus purines as indicators of pig heart energy metabolism during reperfusion after extracorporeal circulation, 13

Sahlin, K. see Mogensen, M. Salvesen, G.S. see Iversen, V.V.

Sandgaard, N.C.F., Andersen, J.L., Holstein-Rathlou, N.-H. & Bie, P. Saline-induced natriuresis and renal blood flow in conscious dogs: effects of sodium infusion rate and concentration, 237

Sarre, G. & Lepers, R. Neuromuscular function during prolonged pedalling exercise at different cadences, 321 Sathishkumar, S. see Subramani, S. Secher, N.H. see Blomstrand, E. Serrão, P. see Soares-da-Silva, P. Sheel, A.W. see Nilsson, H. Skøtt, O. see Bie, P. Soares-da-Silva, P., Serrão, P., Fraga, S. & Pinho, M.J. Expression and function of LAT1, a neutral amino acid exchanger, in renal porcine epithelial cell line LLC-PK<sub>1</sub>, 71 Steendijk, P. see Bal, M.P.

Subramani, S., Balakrishnan, S., Jyoti, T., Sathishkumar, S., Mohammed, A.A., Arasan, S. & Vijayanand, C. Force-frequency relation in frog-ventricle is dependent on the direction of sodium/calcium exchange in diastole, 193 Szokodi, T. see Ashton, N.

Tan, H.L. see Amin, A.S. Tanaka, H. see Iemitsu, M. Tesch, P. see Gallagher, P. Toyoda, Y. see Yoshimura, A. Trappe, S. see Gallagher, P. Trappe, T. see Gallagher, P. Tzelepis, E. see Tzelepis, G.E. Tzelepis, G.E., Zakynthinos, S., Mandros, C., Tzelepis, E. & Roussos, C. Respiratory muscle performance with stretch-shortening cycle manoeuvres: maximal inspiratory pressure-flow curves, 251

Uecelehan, H. see Badawi, J.K. Upton, R.N. see Doolette, D.J.

van der Ven, H. see Reinsberg, J. Venosa, R.A. Protein kinases A and C stimulate the Na+ active transport in frog skeletal muscle without an appreciable change in the number of sarcolemmal Na\* pumps, 329

Verges, S., Flore, P., Favre-Juvin, A., Lévy, P. & Wuyam, B. Exhaled nitric oxide during normoxic and hypoxic exercise in endurance athletes, 123

Verkerk, A.O. see Amin, A.S.

Vermaelen, M., Marini, J.-F., Chopard, A., Benyamin, Y., Mercier, J. & Astier, C. Ubiquitin targeting of rat muscle proteins during short periods of unloading, 33

Vijayanand, C. see Subramani, S. Vornanen, M. see Laughlin, M.H. de Vries, W.B. see Bal, M.P. van der Vusse, G. see Bie, P.

van der Wall, E.E. see Bal, M.P. Wilde, A.A.M. see Amin, A.S. Wuyam, B. see Verges, S.

Yartsev, V.N. see Karachentseva, O.V. Yoshimura, A., Toyoda, Y., Murakami, T., Yoshizato, H., Ando, Y. & Fujitsuka, N. Glycogen depletion in intrafusal fibres in rats during short-duration hig intensity treadmill running, 41 Yoshizato, H. see Yoshimura, A.

Zakynthinos, S. see Tzelepis, G.E. Zhdanova, I.V. see Karachentseva, O.V.

Zhong, H. see Huey, K.A.

Zoll, J., Ponsot, E., Doutreleau, S., Mettauer, B., Piquard, F., Mazzucotelli, J.P., Diemunsch, P. & Geny, B. Acute myocardial ischaemia induces specific alterations of ventricular mitochondrial function in experimental pigs, 25

## Subject index

4-acetamido-4'-isothiocyanostilbene-2,2'-disulfonic acid, acetazolamide, 133 acidosis, 99 active propulsion, 171 ageing, 89 aldosterone, 237 alkalosis, 99 amino acid exchanger, 71 angiotensin converting enzyme, 79 angiotensin II, 79, 161, 237 angiotensinogen, 79 antioxidant enzyme, 211 arrhythmias, 291 athletes, 123 ATPase, 329 atrophy, 33

beta-adrenoceptor, 151 beta-agonist, 151 biography, 171 biopsy, 89 blood, 335 blood flow, 313 brain, 203 Brugada syndrome, 291 butaprost, 133

caesium, 335
calcineurin-inhibitor, 259
calcium-handling, 193
capillaries, 89
cardiac muscle, 193
cardiac sodium channel, 291
cardioplegia, 13
cardiopulmonary bypass, 13
catecholamines, 151
conducting pore, 291
contractility, 181
creatine kinase, 25
cycling, 321

decompression, 109 denervation, 219 detraining, 89 detrusor relaxation, 151 diphenylamine-2-carboxylate, 133 dopamine, 161 dynamic autoregulation, 237

electrical field stimulation, 99 electromyogram, 321 endothelin-1, 259 endurance, 89, 321 energetic efficiency, 229 energy metabolism, 13 exercise, 123, 203, 313, 335 exercise training, 259 exercise-induced hypoxaemia, 123 extracellular space, 313 fatty acid, 25 fatty acid oxidation, 229 fibre type, 61 force-frequency relation, 193 force-velocity, 251 frog-ventricle, 193

gas exchange, 123 gases, 109 gene mutation, 291 glucose, 313 glycogen depletion, 41 glycogen synthase kinase-3β, 259 goats, 335

hair cell, 271
heart failure, 211
heart failure, 211
heart-to-body weight ratio, 181
heat shock protein 25, 219
High Performance Liquid Chromatography, 5
high-performance liquid chromatography, 13
histology, 89
history, 171
horses, 335
human, 151
hypoxia, 123

inactivity, 89, 219 inflammation, 5 intrafusal fibres, 41 *in-vitra*, 303 ion selectivity, 291 ischaemia, 25

LAT1, 71 left ventricle, 259 leucine, 71 LLC-PK<sub>1</sub> cells, 71 low sodium intake, 161 low-frequency fatigue, 51 lymph, 171 lymphatics, 171

melatonin, 99
membrane potential, 271
microdialysis, 5, 313
microgravity, 61
mitochondria, 25, 141, 229
modified-Ussing chamber, 133
muscle, 141, 321
muscle fatigue, 51
muscle fibre type, 229
myocardial infarction, 25
myocardium, 13

Na<sup>+</sup>/K<sup>+</sup>, 329 Na(+)-K(+)-exchanging ATPase, 335 nitric oxide, 123, 211 noradrenaline, 99 normalization, 181 nuclear domains, 141

oestradiol, 303
1-OH prostaglandin E<sub>1</sub>, 133
optical density, 41
organ bath, 151
ovarian function, 303
oxidative phosphorylation, 229
oxygen uptake, 321
oxygen utilization, 229

pelvic inflammation, 303 permeability, 5 pharmacokinetics, 109 phosphorylation, 219 pig, 13, 151 platelet activating factor, 5 post-exercise recovery, 313 potassium, 335 potassium channels, 271 potentiation, 51 power, 251 pressure-flow, 251 pressure-volume relations, 181 progesterone, 303 prostaglandin E<sub>2</sub>, 133 protein kinases A, 329 protein kinases C, 329 proteolysis, 33 purines, 13

rat tail artery, 99 reactive oxygen species, 211 recruitment, 41 redistribution of blood flow, 79 redox signalling, 211 renal dopamine, 161 renal monoamine oxidase, 161 renin activity, 237 reperfusion, 13 resistance training, 89 respiratory muscles, 251

sacculus, 271
sarcoplasmic reticulum, 141
SCN5A, 291
sickness, 109
skeletal muscle, 219, 313, 329
skeletal slow or fast muscles, 33
ski, 141
smooth muscle, 151
sodium current, 291
sodium excretion, 161
sodium—calcium exchanger, 193
spinal cord isolation, 219
substrate oxidation, 25
sulprostone, 133

transit time ultrasound flow probes, 237 treadmill running, 41 tryptophan, 203

ubiquitin, 33 unloading, 61

ventricular function, 181 voltage fluctuation, 271

weightlessness, 61

z-disc, 141

